## **Author index**

Abe T see Shibata T Agui T see Cai Y Alexander LJ see Paszek AA Andersson A see Lindersson M Andersson L see Edfors-Lilia I see also Marklund S see also Paszek AA see also Thomsen PD Ansari HA see Broad T see also Pearce PD Antoniou E & Skidmore CJ: A bovine Yspecific marker amplified by RAPD, 444 Archibald AL see Brown JF see also Couperwhite S see also Paszek AA Armitage SM see Kossarek LM Arnet EF see Våge DI Arthur H see Bell K Axenovich TI see Borodin GP

Bahri-Darwich I see Vaiman D Bailey E, Graves KT, Cothran EG, Reid R, Lear TL & Ennis RB: Synteny-mapping horse microsatellite markers using a heterohybridoma panel, 177

Ballingall KT, Dutia BM, Hopkins J & Wright H: Analysis of the fine specificities of sheep major histocompatibility complex class II-specific monoclonal antibodies using mouse L-cell transfectants, 79

Bancroft DR: A microsatellite polymorphism at the ovine pituitary adenylate cyclase activating polypeptide gene in sheep which can be coamplified with two other loci, 59

Band M see Ron M Barendse B see Williams JL Barendse W see Gao Q

see also Inoue M see also Jørgensen CB see also Kemp SJ

see also Kirkpatrick BW see also Kossarek LM

see also Moody DE see also Moody DE see also Shalom A

see also Watanabe T Barker ISF see Moore SS

Barnett KC see Gould DJ Baxter-Jones C see Levin I

Beattie CW see Paszek AA see also Rettenberger G

Beh KJ see Davies KP see also Hulme DJ see also Smith AJ

Bell K, Arthur H & Breen M: Mutations in the equine plasma transferrin and esterase systems, 407

Benkel BF: A PCR-based diagnostic test for the endogenous retroviral element ev4 of chickens, 369

Benkel BF, Perreault J, Gagnon C & Conklin K: A rapid PCR-based test for the endogenous viral element ev3 of chickens, 189 Berkovitz D see Khatib H Bhebhe R see Kogi J Bigi D see Davoli R

Blank Y see Ron M Bleck GT, Johnson-Roberts DL, Jiménez-Flores R & Wheeler MB: DNA sequence of the porcine α-lactalbumin 5' flanking region and single-base polymorphisms within this region, 101

Blusch I see Schlee P

Borodin GP, Perelygin AV, Axenovich TI, Trapezov OV & Serov OL: Genetic control of PI and GC variants in the American Mink, 435

Bouquet Y see Coppieters W

Boyer G, Nonneman D, Shibuya H, Stoy SJ, O'Brien D & Johnson GS: A PCR-RFLP marker for the erythroid aminolevulinate synthase gene (ALAS2) on canine chromosome X, 206

Bradley D see Teale AJ

Bradshaw M see Kirkpatrick BW see also Shia Y-C

Breen M see Bell K

Broad T, Burkin DJ, Cambridge LM, Jones C, Lewis PE, Morse HG, Geyer D, Pearce PD, Ansari HA & Maher DW: Six loci mapped on to human chromosome 2p are assigned to sheep chromosome 3p, 85

Broad TE see Pearce PD
Brown JF & Archibald AL: Two porcine
polymorphic microsatellite loci (S0033

and S0035), 277
Bruch J see Rettenberger G
Bruneau D see Vaiman D
Brunner RM see Goldammer T
Buchman TG see Couperwhite S
Burke T see Gibbs M

Burkin DJ see Broad T

Burns BM see Kogi J
Burns BM, Taylor JF, Herring KL, Herring
AD, Holder MT, Collins JS, Guerra TM,
Sanders JO & Davies SK: Bovine
microsatellite mononucleotide and
dinucleotide repeat polymorphisms at the
TEXAN6, TEXAN7, TEXAN8, TEXAN9
and TEXAN10 loci. 128

Burns BM, Taylor JF, Herring KL, Herring AD, Holder MT, Collins JS, Guerra TM, Sanders JO & Davis SK: Bovine microsatellite dinucleotide repeat polymorphisms at the TEXAN11, TEXAN12, TEXAN13 TEXAN14 and TEXAN15 loci, 201

Burns BM, Taylor JF, Herring KL, Herring AD, Holder MT, Holder DA, Collins JS, Sanders JO & Davis SK: Bovine microsatellite dinucleotide repeat polymorphisms at the TEXAN16, TEXAN17, TEXAN18, TEXAN19 and TEXAN20 loci. 208

Burt DW see Morrice DR

Burzynska B & Topczewski J: Genotyping of Bison bonasus k-casein gene following DNA sequence amplification, 335 Byrne K see Moore SS

Cai Y, Yamada T, Xin X, Agui T & Matsumoto K: Mapping of the genes for rat endothelin receptor type A (ET<sub>A</sub>R) and type B (ET<sub>B</sub>R) to chromosomes 19 and 15 respectively, 30

Cambridge LM see Broad T Castiglioni B see Zhang Y

Čepica S, Wolf J, Hojný J, Vacková I & Schröffel J, Jr: Relations between genetic distance of parental pig breeds and heterozygosity of their F<sub>1</sub> crosses measured by genetic markers, 135

Chaput B see Høyheim B see also Vaiman D Chardon P see Looft C

Chaudhary R see Marklund S Cheng HH see Levin I

Christensen K see Schwerin M Clark TG see Grosse WM

Collins BK see Shibuya H Collins JS see Burns BM Condon J see Flavin N

Conklin K see Benkel BF Coppleters J see Coppleters W

Coppieters W, Van de Weghe A, Depicker A, Coppieters J, Peelman L, Van Zeveren A & Bouquet Y: Polymorphic CAC/T repetitive sequences in the pig genome 1, 327

Coscelli MB, Davoli R & Russo V: A *Taq*l polymorphism at the porcine arachidonate 12-lipoxygenase (*ALOX12*) locus. 446

Costosi E see Dall'Olio S see also Davoli R see also Zambonelli P Cothran EG see Bailey E

Cotinot C see Payen E
Couperwhite S, Buchman TG & Archibald
AL: A HindIII RFLP at the porcine interα-trypsin inhibitor locus (ITIH), 134

Couperwhite S, Hemmings BA & Archibald AL: RFLPs at the porcine locus encoding the type I-alpha regulatory subunit of the cAMP-dependent protein kinase (PRKAR1A), 134

Crawford AM see Ede AJ Cribiu EP see Vaiman D

Cronin MA, Renecker L, Pierson BJ & Patton JC: Genetic variation in domestic reindeer and wild caribou in Alaska, 427

Crooijmans RPMA, van der Poel JJ & Groenen MAM: Functional genes mapped on the chicken genome, 73

Da Y see Kemp SJ see also Ron M Dalens M see Robic A

Dall'Olio S, Davoli R, Costosi E, Zambonelli P & Russo V: A Bg/II polymorphism at the porcine transferrin (TF) locus, 211

Davies KP, Maddox JF, Harrison B & Drinkwater R: Ovine dinucleotide repeat polymorphism at the CSRD226 and CSRD232 loci, 372

Davies KP, Maddox JF, Matthews P, Hulme DI & Beh KI: Ovine dinucleotide repeat polymorphism at the McM15, McM152, McM159, McM164 and McM210 loci, 371

Davies SK see Burns BM Davies W see Frengen E see also Høyheim B see also Paszek AA

Davies W, Høyheim B & Skogtvedt S: Alignment of two genetic linkage maps on porcine chromosome 13, 119

Davis SK see Burns BM see also Burns BM see also Kogi J Davoli R see Coscelli MB see also Dall'Olio S

see also Russo V see also Zambonelli P

Davoli R. Costosi E. Nanni Costa L. Tagliavina J & Russo V: HincII and HaeIII RFLPs in the porcine mtDNA D-loop region, 205

Davoli R, Fontanesi L, Zambonelli P, Bigi D & Farnetti E: A PstI RFLP at the porcine βmyosin heavy chain (MHYCB) locus, 374

Dawson D see Gibbs M de Vries M see Groenen MAM Dentine MR see Kirkpatrick BW Depicker A see Coppieters W

Di Stasio L, Rasero R, Fiandra P & Giaccone P: Polymorphism of erythrocyte malic enzyme in the goat, 275

Dightman DA see Park LK Dodds KG see Montgomery GW Dolf G see Huebscher KJ Drinkwater R see Davies KP Dutia BM see Ballingall KT

Dutia BM, MacCarthy-Morrogh L, Glass EJ, Knowles G, Spooner RL & Hopkins J: Discrimination between major histocompatibility complex class II DQ and DR locus products in cattle, 111

Duval-Iflah Y see Edfors-Lilja I

East IJ see Sitte K

Ede AJ & Crawford AM: Mutations in the sequence flanking the microsatellite at the KAP8 locus prevent the amplification of some alleles, 43

Ede AJ, Pierson CA & Crawford AM: Ovine microsatellites at the OarCP34, OarCP38, OarCP43, OarCP49, OarCP73, OarCP79 and OarCP99 loci, 130

Ede AJ, Pierson CA & Crawford AM: Ovine microsatellites at the OarCP9, OarCP16. OarCP21, OarCP23 and OarCP26 loci,

Edfors-Lilia I. Gustafsson U. Duval-Iflah Y. Ellegren H, Johansson M, Juneja RK, Marklund L & Andersson L: The porcine intestinal receptor for Escherichia coli K88ab, K88ac: regional localization on chromosome 13 and influence of IgG response to the K88 antigen, 237

Eggen A & Fries R: An integrated cytogenetic and meiotic map of the bovine genome, 215

Eggen A see Vaiman D

Elduque C, Laurent P, Rodellar C, Levéziel H & Zaragoza P: An EcoRI polymorphism at the amylase 1 (AMY1) locus in cattle,

Elduque C, Rodellar C & Zaragoza P: A MspI polymorphism at the transferrin (TF) locus in cattle, 280

Ellegren H see Edfors-Lilja I see also Paszek AA

Elo K see Kantanen I Ennis RB see Bailey E Ennis S see Flavin N

Evans D see Moore SS

Ewen KR & Matthews ME: An equine microsatellite repeat at the VIAS-H64 locus, 282

Fainsod A see Khatib H Farnetti E see Davoli R Feldmesser E see Ron M Ferguson A see Taggart IB Ferrand N see Vieira J Ferretti L see Zhang Y Fiandra P see Di Stasio L see also Sacchi P Finlay O see Grosse WM

see also Kossarek LM Flavin N, Ennis S, Condon J & Rogers M: UCD001: a bovine cosmid containing a polymorphic dinucleotide repeat maps to chromosome 4, 372

Flickinger GH see Paszek AA Fontanesi L see Davoli R see also Zambonelli P

Fredholm M see Paszek AA see also Schwerin M see also Winterg AK

Frelat G see Høyheim B see also Vaiman D

Frengen E & Davies W: Long-range mapping of the calcium release channel and glucosephosphate isomerase loci using pulsed-field electrophoresis, 181

Frey J see Huebscher KJ Friedmann A see Shalom A Friend M see Gonzalez A Fries R see Eggen A

see also Glowatzki-Mullis M-L see also Rettenberger G

Gagnon C see Benkel BF Gaillard C see Glowatzki-Mullis M-L see also Huebscher KJ

Gallagher A see Marello KL Galloway S see van Stijn T

Gao Q, Barendse W & Womack JE: TXQG1: a polymorphic microsatellite on bovine chromosome 10, 203

Garcìa-Muro E see Osta R Gawahara H see Kakoi H

Gelhaus A, Schnittger L, Mehlitz D, Horstmann RD & Meyer CG: Sequence and PCR-RFLP analysis of 14 novel BoLA-DRB3 alleles, 147

Gellin J see Robic A Geyer D see Broad T Giaccone P see Di Stasio L

Gibbs M, Dawson D, McCamley C & Burke T: Ten novel chicken dinucleotide repeat polymorphisms, 443

Glass El see Dutia BM

Glowatzki-Mullis M-L, Gaillard C, Wigger G & Fries R: Microsatellite-based parentage control in cattle, 7

Goldammer T, Brunner RM, Hiendleder S & Schwerin M: Comparative mapping of sheep inhibin subunit β<sub>b</sub> to chromosome 2 in sheep and cattle by fluorescence in situ hybridization, 199

Gomez-Raya L see Lien S

Gonzalez A, Friend M, Moreno A, Pintado CO, Vögeli P & Llanes D: A monoclonal antibody to swine erythrocytes recognizes the B blood group on the major glycophorin, 351

Gould DJ, Petersen-Jones SM, Sohal A, Barnett KC & Sargan DR: Investigation of the role of opsin gene polymorphism in generalized progressive retinal atrophies

in dogs, 261 Goureau A see Robic A

Graml R see Schlee P Grandke R see Hiendleder S see also Weimann C

Graves KT see Bailey E

Groenen MAM see Crooijmans RPMA Groenen MAM, Ruyter D, Verstege EJM, de Vries M & van der Poel JJ: Development and mapping of ten porcine microsatellite markers, 115

Grohs C see Vaiman D Grosse WM see Kossarek LM

Grosse WM, Finlay O, Kossarek LM, Clark TG & McGraw RA: Five bovine microsatellite markers derived from skeletal muscle cDNA: RME01, RME11, RME23, RME25 and RME33, 126

Groth DM & Wetherall JD: Dinucleotide repeat polymorphism adjacent to sheep complement Factor B, 282

Gruenbaum Y see Khatib H Guerra TM see Burns BM Gustafsson U see Edfors-Lilja I Gwakisa PS see Teale AJ

Haley C see Zhang W Haley CS see Paszek AA see also Zhang W Hameister H see Rettenberger G

Harlizius B see Theiven U

Harrison B see Davies KP Harumi T, Kimura M & Yasue H: Survey on swine SINEs (PRE-1) as candidates for SSCP markers in genetic linkage analysis,

Hemmings BA see Couperwhite S Henkel RD see Perelygina LM Henry HM see Montgomery GW Herring AD see Burns BM Herring KL see Burns BM Hetzel DJS see Moore SS Hiendleder S see Goldammer T

see also Weimann C

Hiendleder S, Jannaber U, Weimann C & Grandke R: RFLP markers for the porcine INHA locus, 131

Hiendleder S, Weimann C & Grandke R: A Taq1 RFLP at the bovine INHI locus, 125

Hill DF see Montgomery GW Hillel I see Levin I

Hirano T see also Inoue M

see also Watanabe T Hirota K see Sakagami M

see also Tozaki T Hishida O see Kemp SJ Hojný J see Čepica S Holder DA see Burns BM

Holder MT see Burns BM Hopkins J see Ballingall KT

Hopkins J see also Dutia BM Horstmann RD see Gelhaus A

Hønberg LS, Larsen B, Koch C, Østergård H & Skjødt K: Biochemical identification of the bovine blood group M' antigen as a major histocompatibility complex class Ilike molecule, 307

Høyheim B see Davies W see also Paszek AA

Høyheim B, Keiserud A & Thomsen PD: A highly polymorphic porcine dinucleotide repeat S0295 (BHT 40) at chromosome 9q21-q23, 57

Høyheim B, Keiserud A & Thomsen PD: A highly polymorphic porcine dinucleotide repeat S0296 (BHT 137) at chromosome 17013, 58

Høyheim B, Keiserud A & Thomsen PD: A polymorphic porcine dinucleotide repeat S0298 (BHT 287) at chromosome 16q14,

Høyheim B, Keiserud A, Davies W, Chaput B, Schmitz A & Frelat G: A highly polymorphic porcine dinucleotide repeat SO299 (BHA 248) at chromosome 6, 55

Høyheim B, Keiserud A, Davies W, Chaput B, Schmitz A & Frelat G: A polymorphic porcine dinucleotide repeat SO3OO (BHA 254) at chromosome 6, 55

Huebscher KJ, Dolf G, Frey J, Stranzinger G & Gaillard C: Features of the DNA fingerprinting probe pITZ1, 27

Hulme DJ see Davies KP see also Smith AJ

Hulme DJ, Smith AJ, Silk JP, Redwin JM & Beh KJ: Polymorphic sheep microsatellites at the McM2, McM131, McM135, McM136, McM140, McM200, McM214, McM373, McM505, McM507 and McM512 loci, 369

Inoue M see Watanabe T
Inoue M, Hirano T, Nakane S, Watanabe T,
Takeda H, Yamakuchi H, Morita M,
Barendse W & Sugimoto Y: Five bovine
polymorphic dinucleotide microsatellite
loci (DIK008, DIK010, DIK015, DIK016
and DIK020), 447

Inumaru S see Takeda K Iraqui F & Smith EJ: Organization of the sexlinked late-feathering haplotype in chickens, 141

Ishida N see Takeda K

Jäger C see Weimann C Jørgensen CB, Konfortov BA, Barendse W & Miller JR: Two polymorphic bovine microsatellite loci (AFR227 and AFR2215), 132

Jørgensen CB, Olsaker I & Thomsen PD: A polymorphic bovine dinucleotide repeat D12S25 (IOBT323) at chromosome 12q24, 447

Jannaber U see Hiendleder S Janzen MA see Paszek AA Jazwinska EC see Sitte K Jiménez-Flores R see Bleck GT Johansson M see Edfors-Lilja I see also Paszek AA see also Thomsen PD Johnson GS see Boyer G

see also Shibuya H Johnson-Roberts DL see Bleck GT Jones C see Broad T Juneja RK see Edfors-Lilja I

Kaiser MG see Plotsky Y Kakoi H, Gawahara H & Miura N: Unusual D system inheritance in Anglo-Arab horse, 53

Kalm E see Looft C
Kammerer CM see Perelygina LM
Kantanen J, Vilkki J, Elo & Mäki-Tanila: A
Random amplified polymorphic DNA in
cattle and sheep: application for detecting
genetic variation. 315

Kawakami K see Takeda K Keiserud A see Høyheim B Kemp SI see Teale AI

Kemp SJ, Hishida O, Wambugu J, Rink A, Longeri ML, Ma RZ, Da Y, Lewin HA, Barendse W & Teale AJ: A panel of polymorphic bovine, ovine and caprine microsatellite markers, 299

Khatib H, Berkovitz D, Ratz T, Plotzki Y, Fainsod A & Gruenbaum Y: Mapping the CdxA gene to a new linkage group in chicken, 211

Kimura M see Harumi T

Kirkpatrick BW, Bradshaw M, Dentine MR & Barendse W: Polymorphic bovine microsatellites *UWCA25*, *UWCA26* and *UWCA28*, 59

Knowles G see Dutia BM Koch C see Hønberg LS

Kogi J, Yeh C-C, Bhebhe R, Burns BM, Ruvuna F, Davis SK & Taylor JF: Caprine microsatellite dinucleotide repeat polymorphisms at the SR-CRSP-11, SR-CRSP-12, SR-CRSP-13, SR-CRSP-14 and SR-CRSP-15 loci, 449

Komatsu M see Takeda K Konfortov BA see Jørgensen CB Kossarek LM see Grosse WM

Kossarek LM, Finlay O, Grosse WM, Su X, Armitage SM, Barendse W & McGraw RA: Five bovine dinucleotide repeat polymorphisms: RM040, RM044, RM096, RM153 and RM179, 57

Kossarek LM, Grosse WM, Finlay O, Su X & McGraw RA: Six bovine dinucleotide repeat polymorphisms: RM041, RM051, RM066, RM088, RM103 and RM113, 55

Kostia S see Vilkki J Krause S see Schwerin M

Lamont SJ see Plotsky Y

see also Spike CA Larsen B see Hønberg LS Laurent P see Elduque C see also Vaiman D Lavin MF see Sitte K Lear TL see Bailey E

Levéziel H see Elduque C see also Vaiman D see also Velmala R

Levin I, Cheng HH, Baxter-Jones C & Hillel J: Turkey microsatellite DNA loci amplified by chicken-specific primers, 107

Lewin H see Ron M
Lewin HA see Kemp SJ
Lewin HA see also Shia Y-C
Lewis PE see Broad T
Lie Ø see Slettan A
see also Våge DI
Lien S see Våge DI

Lien S, Gomez-Raya L & Våge DI: A BsmA1 polymorphism in the bovine lipoprotein lipase gene, 283

Lindersson M, Lundén A & Andersson A: Genotyping bovine milk proteins using allele discrimination by primer length and automated DNA sizing technology, 67

Liu WS, Lu XZ & Qiu H: Number and distribution of silver-stained nucleolar organizer regoins and evolutionary relationships in domestic pigs, 293

Llanes D see Gonzalez A Longeri ML see Kemp SJ

Looft C, Nagel M, Chardon P, Nunes M, Vaiman M & Kalm E: Dinucleotide repeat polymorphism at the porcine *TNFA* locus. 366

Lord EA see Montgomery GW Louis CF see Paszek AA Lu XZ see Liu WS Lundén A see Lindersson M

Mäki-Tanila A see Kantanen J Ma RZ see Kemp SJ MacCarthy-Morrogh L see Dutia BM Macchi E see Sacchi P Maddox JF see Davies KP Maher DW see Broad T see also Pearce PD

Marcos S see Osta R Marello KL, Gallagher A, McKeever DJ, Spooner RL & Russel GC: Expression of multiple DQB genes in Bos indicus cattle, 345

Mariani P see Paszek AA Marklund L see Edfors-Lilja I see also Marklund S see also Paszek AA

Marklund S, Chaudhary R, Marklund L, Sandberg K & Andersson L: Extensive mtDNA diversity in horses revealed by PCR-SSCP analysis, 193

Mashima S see Sakagami M see also Tozaki T Matsumoto K see Cai Y Matthews ME see Ewen KR Matthews P see Davies KP

McCamley C see Gibbs M McGraw RA see Grosse WM

see also Kossarek LM

McKeever DJ see Marello KL Mehlitz D see Gelhaus A Mellersh CS & Sampson J: Eighteen canine microsatellites, 132 Mendiola JR see Paszek AA

Mercier D see Vaiman D see also Velmala R Meyer CG see Gelhaus A

Mezzelani A see Zhang Y Mickelson JR see Paszek AA Milan D see Robic A Miller JR see Jørgensen CB Miura N see Kakoi H

Mizoshita K see Watanabe T

Montgomery GW, Penty JM, Henry HM, Sise JA, Lord EA, Dodds KG & Hill DF: Sheep linkage mapping: RFLP markers for comparative mapping studies, 249

Moody DE, Pomp D & Barendse W: Restriction fragment length polymorphism in amplification products of the bovine PIT1 gene and assignment of PIT1 to bovine chromosome 1, 45

Moody DE, Pomp D, Barendse W & Womack JE: Assignment of the growth hormone receptor gene to bovine chromosome 20 using linkage analysis and somatic cell mapping, 341

Moore SS, Evans D, Byrne K, Barker JSF, Tan SG, Vankan D & Hetzel DJS: A set of polymorphic DNA microsatellites useful in swamp and river buffalo (*Bubalus bubalis*), 355

Moran C see Zhang W Moran P see Park LK Moran A see Gonzalez A Morgan C see Rettenberger G Morita M see Inoue M

Morrita M see Inoue M
Morrice DR & Burt DW: A Ssfl RFLP at the
chicken transforming growth factor-β2
locus (TGFB2), 210

Jocus (*TGFB2*), 210

Morse HG see Broad T

Mosig MO see Shalom A

Mrad DR see Shibuya H

Mukoyama H see Sakagami M

see also Tozaki T

Murtaugh J see Paszek AA

Nagel M see Looft C
Nakane S see Inoue M
see also Watanabe T
Nanni Costa L see Davoli R
Nicoli D see Russo V
Nonneman D see Boyer G
see also Shibuya H
Nunes M see Looft C

O'Brien D see Boyer G
Olsaker I see Jørgensen CB
see also Slettan A
see also Våge DI
Onishi A see Takeda K
Osta R, Garcia-Muro E & Zarazaga I: A MspI
polymorphism at the bovine αlactalbumin gene, 204

Osta R, Marcos S & Rodellar C: A MnlI polymorphism at the bovine  $\alpha_{s2}$ -casein gene, 213

Østergård H see Hønberg LS Oustry A see Vaiman D Pailhoux E see Payen E
Park LK, Moran P & Dightman DA: A
polymorphism in intron D of the chinook
salmon growth hormone 2 gene, 285

Parrou J-L see Robic A
Paszek AA, Schook LB, Louis CF, Mickelson
JR, Flickinger GH, Murtaugh J, Mendiola
JR, Janzen MA, Beattie CW, Rohrer GA,
Alexander LJ, Andersson L, Ellegren H,
Johansson M, Mariani P, Marklund L,
Høyheim B, Davies W, Fredholm M,
Archibald AL & Haley CS: First
International Workshop on Porcine
Chromosome 6, 377

Patton JC see Cronin MA
Payen E, Saidi-Mehtar N, Pailhoux E &
Cotinot C: Sheep gene mapping:
assignment of ALDOB, CYP19, WT and
SOX2 by somatic cell hybrid analysis,
331

Pearce PD see Broad T
Pearce PD, Ansari HA, Maher DW & Broad
TE: Five regional localizations to the
sheep genome: first assignments to
chromosomes 5 and 12, 171
Peelman L see Coppieters W
Penty JM see Montgomery GW

Perelygin AV see Borodin GP
Perelygina LM, Kammerer CM & Henkel RD:
RFLPs at the baboon insulin-like growth
factor 1 (IGF1) and the IGF1 receptor
(IGF1R) loci. 280

Perreault J see Benkel BF Petersen-Jones SM see Gould DJ Pierson BJ see Cronin MA Pierson CA see Ede AJ Pintado CO see Gonzalez A Pirchner F see Schlee P

Plotsky Y, Kaiser MG & Lamont SJ: Genetic characterization of highly inbred chicken lines by two DNA methods: DNA fingerprinting and polymerase chain reaction using arbitrary primers, 163

Plotzki Y see Khatib H Pomp D see Moody DE Prodöhl PA see Taggart JB

Qiu H see Liu WS

Rasero R see Di Stasio L Rasero R see Sacchi P Ratz T see Khatib H Redaelli L see Zhang Y Redwin JM see Hulme DJ Redwin JM see Smith AJ Reid R see Bailey E Renecker L see Cronin MA Rettenberger G, Bruch J, Bea

Rettenberger G, Bruch J, Beattie CW, Morgan C, Fries R & Hameister H: Chromosomal assignment of seventeen porcine microsatellites and genes by use of a somatic cell hybrid mapping panel, 269 Rink A see Kemp SJ

Robic A, Parrou J-L, Yerle M, Goureau A, Dalens M, Milan D & Gellin J: Pig microsatellites isolated from cosmids revealing polymorphism and localized on chromosomes, 1

Rodellar C see Elduque C see also Osta R Rogers M see Flavin N
Rohrer GA see Paszek AA
Ron M, Lewin H, Da Y, Band M, Yanai A,
Blank Y, Feldmesser E & Weller JI:
Prediction of informativeness for
microsatellite markers among progeny of
sires used for detection of economic trait
loci in dairy cattle, 439
Russel GC see Marello KL

Russo V see Coscelli MB see also Dall'Olio S see also Davoli R see also Zambonelli P

Russo V, Davoli R, Nicoli D & Zambonelli P: BglII and HincII detect polymorphisms at porcine GPI locus, 207

Rutherford MS see Shia Y-C Ruvuna F see Kogi J Ruyter D see Groenen MAM

Sacchi P, Macchi E, Rasero R & Fiandra P: Two new variants of the bovine PAS-1 glycoprotein, 197

Saidi-Mehtar N see Payen E Sakagami M see Tozaki T

Sakagami M, Tozaki T, Mashima S, Hirota K & Mukoyama H: Equine parentage testing by microsatellite locus at chromosome 1q2·1, 123

Sampson J see Mellersh CS Sandberg K see Marklund S Sanders JO see Burns BM Sandholm J see Vilkki J Sargan DR see Gould DJ Schallenberger E see Schlee P

Schlee P, Blusch J, Werner T, Schallenberger E, Graml R & Pirchner F: Nucleotide substitution in the bovine

FSHB 5'-region, 127 Schmitz A see Høyheim B Schnittger L see Gelhaus A Schook LB see Passek AA

see also Shia Y-C Schröffel J, Jr see Čepica S Schwerin M see Goldammer T

Schwerin M, von Lengerken G, Fredholm M, Christensen K & Krause S: DNA polymorphisms in two transcription control elements (SP1- and TATA-box) of porcine *HSP70-2* gene detected by allelespecific PCR, 203

Serov OL see Borodin GP

Shalom A, Mosig MO, Barendse W, Soller M & Friedmann A: Dinucleotide repeat polymorphisms at the bovine *HUJ673*, *HUJ121*, *HUJ174*, *HUJ225*, *HUJI113* and *HUJI129* loci, 202

Shia Y-C, Bradshaw M, Rutherford MS, Lewin HA & Schook LB: Polymerase chain reaction based genotyping for characterization of *SLA-DQB* and *SLA-DRB* alleles in domestic pigs, 91

Shibata T, Abe T & Tanabe Y: Genetic polymorphism of the sixth component (C6) in dogs, 105

Shibuya H see Boyer G

Shibuya H, Collins BK, Stoy SJ, Nonneman D & Johnson GS: PCR/RFLP markers in the canine gamma-D-crystallin gene, 445 Shibuya H, Mrad DR, Collins BK, Stoy SJ, Nonneman D & Johnson GS: Two polymorphisms in the canine beta-A3/A1-crystallin gene, detectable by PCR-RFLP analysis, 284

Silk JP see Hulme DJ see also Smith AJ

Simon D see Theiven U Simpson SP see Usha AP Sise IA see Montgomery GW

Sitte K, East IJ, Lavin MF & Jazwinska EC: Identification and characterization of new BoLA-DRB3 alleles by heteroduplex analysis and direct sequencing, 413

Skidmore CJ see Antoniou E Skjødt K see Hønberg LS

Skogtvedt S see Davies W
Slettan A, Olsaker I & Lie Ø: A polymorphic
dinucleotide repeat microsatellite in
Atlantic salmon, Salmo
salar, (SSOSL436), 368

Slettan A, Olsaker I & Lie Ø: Atlantic salmon, Salmo salar, microsatellites at the SSOSL25, SSOSL85, SSOSL311, SSOSL417 loci, 281

Smith AJ see Hulme DJ

Smith AJ, Hulme DJ & Beh KJ: Five polymorphic ovine microsatellites, 124

Smith AJ, Ĥulme DJ, Silk JP, Redwin JM & Beh KJ: Thirteen polymorphic ovine microsatellites, 277

Smith EJ see Iraqui F Sohal A see Gould DJ Soller M see Shalom A

Spike CA & Lamont SJ: Genetic analysis of three loci homologous to human G9a: evidence for linkage of a class III gene with the chicken MHC, 185

Spooner RL see Dutia BM see also Marello KL

Stoy SJ see Boyer G see also Shibuya H

Stranziger G see Teale AJ see also Huebscher KJ

Su X see Kossarek LM Sugimoto Y see Inoue M see also Watanabe T

Taggart JB, Prodöhl PA & Ferguson A: Genetic markers for Atlantic salmon (Salmo salar L.): a single locus inheritance and joint segregation analyses of minisatellite (VNTR) DNA loci, 13

Tagliavina J see Davoli R Takeda H see Inoue M see also Watanabe T

Takeda K, Onishi A, Ishida N, Kawakami K, Komatsu M & Inumaru S: SSCP analysis of pig mitochondrial DNA D-loop region polymorphism, 321

Tan SG see Moore SS Tanabe Y see Shibata T Taylor JF see Burns BM

see also Kogi J Teale AJ see Kemp SJ

Teale AJ, Wambugu J, Gwakisa PS, Stranziger G, Bradley D & Kemp SJ: A polymorphism in randomly amplified DNA that differentiates the Y chromosomes of *Bos indicus* and *Bos* taurus, 243

Theiven U, Harlizius B & Simon D: Dinucleotide repeat polymorphism at the bovine *HAUT1* and *HAUT14* loci, 123

Thomsen PD see Høyheim B see also Jørgensen CB

Thomsen PD, Johansson M, Troelsen JT & Andersson L: The lactase phlorizin hydrolase (LCT) gene maps to pig chromosome 15q13, 49

Topczewski J see Burzynska B Tozaki T see Sakagami M

Tozaki T, Sakagami M, Mashima S, Hirota K & Mukoyama H: ECA-3: equine (CA) repeat polymorphism at chromosome 2p1-3-4, 283

Trapezov OV see Borodin GP Troelsen JT see Thomsen PD

Urquhart BG see Williams JL Usha AP, Simpson SP & Williams JL: Probability of random sire exclusion using microsatellite markers for parentage verification, 155

Vacková I see Čepica S Våge DI see Lien S Våge DI, Olsaker I, Arnet EF, Lie Ø & Lien S: Three bovine dinucleotide repeat polymorphisms (D5S46, D15S25, D26S19), 279

Vaiman D see Velmala R
Vaiman D, Eggen A, Mercier D, BahriDarwich I, Grohs C, Bruneau D, Laurent
P, Chaput B, Oustry A, Frelat G, Levéziel
H & Cribiu EP: A genetic and physical
map of bovine chromosome 3, 21

Vaiman M see Looft C
Van de Weghe A see Coppieters W
van der Bank FH & van der Bank M:
Enzyme polymorphism in the freshwater
mussel species, Aspatharia pfeifferiana
(Mollusca, Lamellibranchiata) from
southern Africa, 31

van der Bank M see van der Bank FH van der Poel JJ see Crooijmans RPMA see also Groenen MAM

van Stijn T & Galloway S: A BamHI polymorphism at the ovine inactive Xspecific transcript locus (XIST), 279

Van Zeveren A see Coppieters W Vankan D see Moore SS Varvio S-L see Vilkki I

Velmala R, Vaiman D, Virta A, Mercier D & Levéziel H: Polymorphic bovine microsatellites INRAMTT178, INRAMTT180 and INRAMTT183, 209

Verstege EJM see Groenen MAM

Vieira J & Ferrand N: Four new alleles at the mannose-6-phosphate isomerase locus in rabbit, 37

Vilkki J see Kantanen J

Vilkki J, Sandholm J, Kostia S & Varvio S-L: Four SINE-associated polymorphic bovine microsatellites (HEL23-HEL26), 206 Virta A see Velmala R Vögeli P see Gonzalez A von Lengerken G see Schwerin M

Wambugu J see Kemp SJ see also Teale AJ Watanabe T see Inoue M

Watanabe T, Hirano T, Nakane S, Inoue M, Takeda H, Mizoshita K, Ximin L, Barendse W & Sugimoto Y: Five bovine polymorphic dinucleotide microsatellite loci (DIK021, DIK023, DIK024, DIK026 and DIK028), 448

Weimann C see Hiendleder S Weimann C, Jäger C, Grandke R & Hiendleder S: A Bg/II polymorphism at the porcine INHBB locus, 212

Weller JI see Ron M Werner T see Schlee P Wetherall JD see Groth DM Wheeler MB see Bleck GT Wigger G see Glowatzki-Mullis M-L Williams JL see Usha AP

Williams JL, Urquhart BG & Barendse B: Three bovine chromosome 15 microsatellite markers, 124

Winter® AK & Fredholm M: Three porcine polymorphic microsatellite loci (S0075, S0151, S0158), 125 Wolf J see Čepica S

Womack JE see Gao Q see also Moody DE Wright H see Ballingall KT

Ximin L see Watanabe T Xin X see Cai Y

Yamada T see Cai Y Yamakuchi H see Inoue M Yanai A see Ron M Yasue H see Harumi T Yeh C-C see Kogi J Yerle M see Robic A

Zambonelli P see Dall'Olio S Zambonelli P see also Davoli R see also Russo V

Zambonelli P, Davoli R, Fontanesi L, Costosi E & Russo V: A BgfII RFLP at the porcine calpastatin (CAST) locus, 373

Zaragoza P see Elduque C Zarazaga I see Osta R

Zhang W, Haley C & Moran C: Alignment of the PiGMaP and USDA linkage maps of porcine chomosomes 2 and 5, 361

Zhang W, Haley CS & Moran C: Mapping the soluble angiotensin binding protein (ABP1) locus to porcine chromosome 16, 337

Zhang Y, Redaelli L, Castiglioni B, Mezzelani A & Ferretti L: Five polymorphic bovine microsatellite loci: IDVGA-62A, IDVGA-71, IDVGA-82, IDVGA-88, IDVGA-90, 365

## **Keyword index**

ALV subgroup E	189	endothelin receptors	39	long-range map	181
Alu-like repeats	27	equine	407	iong rango map	101
Atlantic salmon, Salmo salar,	13	erythrocyte	53	MHC	163, 307
alignment	119	esterase	407	MHC class II	79, 111
allele-specific PCR	67	ev3	189	mAbs	111
allelic variation	335			major histocompatibility comp	
alloantigens	53	F10	171	malic enzyme	275
allozyme variation	31	FGF2	171	mannose phosphate isomerase	
antibody response	237	FISH	1	mapping	21, 45, 341
antigen recognition site (ARS)	91	FN1	249	marker	107
		fluorescence in situ hybridiza	ation 199	maternal genealogies	193
Bison bonasus	335	framework map	377	maternity/identity testing	193
BoLA-DRB3	147, 413	freshwater bivalves	31	microsatellite 1, 43, 107,	115, 155, 299,
BoLA A16	307				327, 337
BoLA A24	307	G9a	185	microsatellite markers	21
Bos indicus	243	GHR	341	microsatellite/STR typing	7
Bos taurus	243	gene expression	345	microsatellites	73, 361
Bubalus bubalis	355	gene frequency	105	milk fat globule membrane	197
β-lactoglobulin	.67	gene mapping	177, 199, 331	milk production traits	419
blood group M <sub>1</sub>	307	generalized progressive retina	al	milk protein	101
blood typing	53	atrophy (gPRA)	261	minisatellite	327
bovine 21, 45, 24	3, 341, 355	genes	73	minisatellite DNA	13
		genetic	107	mink	435
C6	105	genetic distance	135	mitochondrial DNA	321, 427
calcium release channel	181	genetic erosion	243	mitochondrial DNA D-loop	193
canine genetics	261	genetic map	327	monoclonal antibodies	79, 351
caribou	427	genetic marker	45, 341, 101	multiplex-PCR	67
casein	67	genetic polymorphism	105, 147	mutation	407
casein haplotypes	419	genetic structure	315		
cattle 7, 27, 67, 111, 147, 15		genome mapping	73, 115	native breed	315
	299, 315	genotyping	67, 91	nucleolar organizer region	293
chicken	73, 107	glucosephosphate isomerase	181		
chicken gene mapping	185	glycophorin A	351	ovine	249
chromosomal assignments	39	glycoprotein	197		
chromosome	199, 293	goat	275, 299		335, 341, 355
chromosome 13	119, 237	group-specific component	435	PCR-RFLP	147
chromosome 15	49	TICAO	10	PCR-SSCP	403
chromosome 2	361	HSA2	49	PCR-SSCP analysis	321
chromosome 5 class II	361	heteroduplexes	413	PCR genotyping	419
class III MHC	345 185	heterologous primers	355 135	PCR test PDEA	189
comparative genome analysis	171	heterozygosity horse		PIT1	171
comprehensive maps	377	norse	53, 177, 193		45
cosmid	1	INHA	249	parentage control	155 7
Cosmiu	1	INHBB	199	parentage control photoreceptor dysplasia (pd)	
D system	53	immunoprecipitation	307	physical mapping	269
D-loop region	321	in situ hybridization	85, 171	pig 1, 101, 115, 119,	
DNA fingerprinting	163	inbred chicken lines	163		, 337, 361, 403
DNA microsatellites	355	inheritance	13	plasma	407
DNA regulatory regions	101	integrated linkage map	377	polymerase chain reaction (F	
DNA sequencing	345	integrated mikage map	3//	polymorphic markers	135
DQα	111	K88 receptor	237		141, 197, 275,
DRα	111	KAP8	43		0, 321, 345, 435
dairy cattle	419	K-casein	427	porcine	49, 321
deletion	141	kappa-casein	335	progressive rod cone degene	
dinucleotide repeat	27, 299	keratin	43	(pcrd)	261
dog	105		-10	protease inhibitor	435
donkey	27	LAMC1	171	protein electrophoresis	31
duplication	141	LCT	49	Proton oronophorons	31
E	- 44	linkage	13, 237, 249	RAPD	243
Escherichia coli	237	linkage map	337	RAPD-PCR	163
endothelin	39	linkage mapping	119, 361	Rangifer tarandus	427
		0 IF0	_ 20,002	0,	.=/

RFLP 45, 101, 185, 249, 341		SINE	403	swine chromosome 6	377	
rabbit		37	SLA-DQB	91		
random amplified polymorphic		SLA-DRB	91	TCRB	171	
DNA		315	sheep 43, 79, 199, 249, 2	299, 315, 331	transfection	79
rapid screening		189	sheep-hamster cell hybrids	85	transferrin	407
rat		39	sheep chromosome 3p	85	triplet repeat	327
reindeer		427	sheep chromosomes	171	turkev	107
replication		27	sheep gene mapping	171	type I loci	269
restriction fragment length		silver staining	293	type II loci	269	
polymorphism	(RFLP)	91	single-strand conformation		type ir ioci	209
retinitis pigmento	osa (RP)	261	polymorphism (SSCP)	261	VNTR	13
reverse transcript	reverse transcription-polymerase		soluble angiotensin binding		*****	13
chain reaction		345	protein	337	water buffalo	355
rod cone dysplas:	ia type 1 (rcd-1)	261	somatic cell hybrids	177, 331		000
rRNA genes		293	swine blood groups	351	Y chromosome	243